



## Cricket RX-5 Resort Top Instructions



1. Install front vertical rail with slight bend at the bottom and roughly 90 degree bend facing toward the back of the cart. Starting with bottom hole Loosely attach hardware shown below. Start with bottom hole first.



2. Do the same with the top hole. Leaning back rail may make it easier to install spacer. Repeat step 1. & 2. to the other side.




## Cricket RX-5 Resort Top Instructions

3. Install rear vertical rails without bend at the bottom. Loosen thumb knob in rear basket and insert rear vertical rail with 90 degree bend facing forward on both sides, leaving the knobs loose.



4. Install front rail cover by sliding down from the top of rail as show in picture below to both sides.  
Do not install hardware at this time.



## Cricket RX-5 Resort Top Instructions

5. Install the black plastic clips and rubber grommet to each side of windshield. Then align black plastic clip with each front vertical rail and snap in place.



6. Slide windshield up or down until the hole in the rubber grommet matches hole in front vertical rail. Install & tighten this hardware as shown below. Do this to both sides.



## Cricket RX-5 Resort Top Instructions

7. Install top frame with rear view mirror mount towards front of cart to the front vertical rail by aligning front holes in top frame with the and loosley attaching hardware show below. Do the same to the other side.



8. Install top frame to the rear vertical rail by aligning rear holes in top frame with holes in rear vertical rails and loosely attaching hardware show below. Do the same to the other side.



## Cricket RX-5 Resort Top Instructions

9. Tighten all hardware & knobs that were left loose, then install screw for cover on front vertical rail as shown below.



10. Install vinyl top with the pocket and 2 close nylon loop towards the front of the cart. Slide pouch over top frame and attach nylon loops to hooks. In the rear pull the vinyl top over each corner then attach nylon loop to hook. This may require you to pull the material down while attempting to attach loop. Do not pull with force on loop. If there is too much slack in loop, twist or tie knot in the middle.



11. Peel protective film from windshield.

### **Package Content**

- 2 x RX- 5 Front Vertical Support Rails
- 1 x RX-5 Rear Vertical Support Rails
- 1 x RX-5 Top Frame
- 1 x RX-5 Windshield Kit
- 1 x RX-5 Hardware Pack
- 1 x Vinyl Material

If you need further assistance please contact the Authorized Cricket Dealer your purchased from.